



PACK MORE POWER, COMFORT AND EFFICIENCY INTO EVERY JOB.

THE BOBCAT GC25S-9 9 SERIES CUSHION FORKLIFT

The Bobcat® GC25S-9 9 Series cushion forklift provides heavy-duty performance in a cost-efficient package. Designed to enhance comfort and productivity, it features smooth steering control, a full-sized LED display and outstanding fuel efficiency. Its quality components and superior engineering increase runtime between service intervals for a lower overall cost of ownership.

Improved Operator Comfort

With 20% more legroom and 70% less brake pedal effort – plus a fully adjustable suspension seat – operators will stay comfortable on the job.

Operator Sensing System (OSS)

For increased safety during operation, the OSS automatically stops all truck movement and locks mast functions when the operator leaves the seat.

Industry-Proven LP Engines

LP engines provide excellent power, performance, fuel economy and durability, along with low noise and vibration.

Shift Pro-Tek Transmission

Make quick shuttle applications a breeze with the market-proven Shift Pro-Tek transmission, which allows you to shift on the fly at up to 5 mph.

Oil-Cooled Disc Brakes

This best-in-class braking system provides superior, long-lasting stopping power and is backed by a five-year or 10,000-working-hour warranty.

Robust Hydrostatic Steer Axle

With fewer moving parts, the hydrostatic steer axle provides low-effort steering with easy maintenance and a longer service life.

3-Point Entry and Exit System

Three separate points of contact – a handrail along the mast, a seat armrest and a large anti-slip step plate – make it easy for the operator to enter and exit the vehicle.

Standard Safety Features

Standard features like a strobe light, backup alarm, side mirrors and seatbelt sensor offer increased safety and ease of operation.

Well-Placed LED Display

A large, bright LED display continuously monitors all vital systems to keep the operator informed of truck performance and health.

Cost-Saving Eco Mode Setting

Dual-performance engine settings provide a choice between standard mode and eco mode. Eco mode reduces fuel consumption by approximately 5%, providing valuable efficiency and cost savings.

Easy Access to Service Areas

Servicing the vehicle is easy thanks to tool-free floor plates and a spring lock that automatically engages when the engine cover is raised.

SPECIFICATIONS	GC25S-9
Capacity	5000 lb. (2250 kg)
Load Center	24.0 in. (610 mm)
Drive	LP
Battery Voltage/Normal Capacity	12V (50 Ah)
Engine Power	59.0 hp (44.0 kW)
Operator Type	Seated
Service Brake	Foot/Hydraulic
Travel Speed: Loaded/Unloaded	10.6 mph (17.0 km/hr.) / 10.9 mph (17.5 km/hr.)
Lifting Speed: Loaded/Unloaded	122.0 fpm (0.62 m/s) / 128.0 fpm (0.65 m/s)
Lowering Speed: Loaded/Unloaded	100.4 fpm (0.51 m/s) / 90.5 fpm (0.46 m/s)
Max. Drawbar Pull: Loaded/Unloaded	3950 lbf. (17,540 N) / 3920 lbf. (17,410 N)
Max. Gradeability: Loaded/Unloaded	28.0% / 48.6%
Tire Type	Cushion
Wheels, Load/Caster (x=Drive)	2x/2
Tire Size (Front)	21.0 x 7.0-15.0 in.
Tire Size (Rear)	16 x 5.0-10.5 in.
Tread Width (Front)	35.9 in. (912 mm)
Tread Width (Rear)	36.0 in. (915 mm)
Service Weight	8200 lb. (3715 kg)
Axle Load at Loaded (Front/Rear)	11,450 lb. (5185 kg) / 1750 lb. (780 kg)
Axle Load at Unloaded (Front/Rear)	2930 lb. (1325 kg) / 5270 lb. (2390 kg)
Max. Fork Height	127.0 in. (3230 mm)
Mast Lowered Height	83.9 in. (2130 mm)
Mast Extended Height	176.4 in. (4480 mm)
Overhead Guard Height	83.6 in. (2125 mm)
Wheelbase	56.3 in. (1430 mm)
Length to Forkface	91.7 in. (2330 mm)
Overall Length	133.1 in. (3380 mm)
Overall Width	41.9 in. (1065 mm)
Ground Clearance, Loaded (Below Mast)	4.3 in. (110 mm)
Outside Turning Radius	78.0 in. (1980 mm)
Tilt Angle Forward/Backward	6°/8°
Fork Size (T x W x L)	1.6 x 3.9 x 41.3 in. (40 x 100 x 1050 mm)

For more information on model details, go to [Bobcat.com](https://www.bobcat.com)

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

DOOSAN

Bobcat Company is a member of the Doosan Group. Doosan is a global leader in construction, grounds maintenance and material handling equipment, power and water solutions, and engineering that has proudly served customers and communities for more than a century. Bobcat®, the Bobcat logo and the colors of the Bobcat machine are registered trademarks of Bobcat Company in the United States and various other countries. ©2024 Bobcat Company. All rights reserved.



B-3091 (03/24)
EP-10M-0324-10456-F

Bobcat Company
250 East Beaton Drive • West Fargo, ND 58078
[Bobcat.com](https://www.bobcat.com)



Bobcat®

One Tough Animal.